45

Water heater

Product	AQUA HP 250
Load profile	XL
Energy efficiency class	A+
Energy efficiency [%]	134.0000
Annual electricity consumption [kWh]	1251
Thermostat temperature settings [°C]	-
Sound power level [dB]	51
Function only during off-peak hours	NO
SMART function *	NO

Water heater

Product	BTO 10 IN
Load profile	XXS
Energy efficiency class	A
Energy efficiency [%]	35.0000
Annual electricity consumption [kWh]	525
Thermostat temperature settings [°C]	35.0000
Sound power level [dB]	15
Function only during off-peak hours	NO
SMART function *	NO

Water heater

Product	BTO 10 UP
Load profile	XXS
Energy efficiency class	A
Energy efficiency [%]	35.0000
Annual electricity consumption [kWh]	523
Thermostat temperature settings [°C]	35.0000
Sound power level [dB]	15
Function only during off-peak hours	NO
SMART function *	NO

45

Water heater

Product	BTO 5 IN
Load profile	XXS
Energy efficiency class	A
Energy efficiency [%]	35.0000
Annual electricity consumption [kWh]	527
Thermostat temperature settings [°C]	41.0000
Sound power level [dB]	15
Function only during off-peak hours	NO
SMART function *	NO

Water heater

Product	BTO 5 UP
Load profile	XXS
Energy efficiency class	A
Energy efficiency [%]	35.0000
Annual electricity consumption [kWh]	525
Thermostat temperature settings [°C]	41.0000
Sound power level [dB]	15
Function only during off-peak hours	NO
SMART function *	NO

Water heater

Product	CLOSE in 10
Load profile	XXS
Energy efficiency class	A
Energy efficiency [%]	36.0000
Annual electricity consumption [kWh]	515
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	NO
SMART function *	NO

45

Water heater

Product	CLOSE in 15
Load profile	XXS
Energy efficiency class	A
Energy efficiency [%]	35.0000
Annual electricity consumption [kWh]	529
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	NO
SMART function *	NO

Water heater

Product	CLOSE up 10
Load profile	XXS
Energy efficiency class	A
Energy efficiency [%]	36.0000
Annual electricity consumption [kWh]	512
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	NO
SMART function *	NO

Water heater

Product	CLOSE up 15
Load profile	XXS
Energy efficiency class	A
Energy efficiency [%]	35.0000
Annual electricity consumption [kWh]	539
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	NO
SMART function *	NO

45

Water heater

Product	HA-DR 135 (3,5 kW)
Load profile	XXS
Energy efficiency class	A
Energy efficiency [%]	-
Annual electricity consumption [kWh]	460
Thermostat temperature settings [°C]	-
Sound power level [dB]	22
Function only during off-peak hours	-
SMART function *	-

Water heater

Product	HA-DR 145 (4,5 kW)
Load profile	XXS
Energy efficiency class	A
Energy efficiency [%]	-
Annual electricity consumption [kWh]	472
Thermostat temperature settings [°C]	-
Sound power level [dB]	22
Function only during off-peak hours	-
SMART function *	-

Water heater

Product	HA-DR 155 (5,5 kW)
Load profile	XXS
Energy efficiency class	A
Energy efficiency [%]	-
Annual electricity consumption [kWh]	466
Thermostat temperature settings [°C]	-
Sound power level [dB]	22
Function only during off-peak hours	-
SMART function *	-

45

Water heater

Product	HA-DR T 135 (3,5 kW)
Load profile	XXS
Energy efficiency class	A
Energy efficiency [%]	-
Annual electricity consumption [kWh]	460
Thermostat temperature settings [°C]	-
Sound power level [dB]	22
Function only during off-peak hours	-
SMART function *	-

Water heater

Product	HA-DR T 145 (4,5 kW)
Load profile	XXS
Energy efficiency class	A
Energy efficiency [%]	-
Annual electricity consumption [kWh]	472
Thermostat temperature settings [°C]	-
Sound power level [dB]	22
Function only during off-peak hours	-
SMART function *	-

Water heater

Product	HA-DR T 155 (5,5 kW)
Load profile	XXS
Energy efficiency class	A
Energy efficiency [%]	-
Annual electricity consumption [kWh]	466
Thermostat temperature settings [°C]	-
Sound power level [dB]	22
Function only during off-peak hours	-
SMART function *	-

45

Water heater

Product	MX2207 - 4,5/7 kW
Load profile	XXS
Energy efficiency class	A
Energy efficiency [%]	-
Annual electricity consumption [kWh]	446
Thermostat temperature settings [°C]	-
Sound power level [dB]	22
Function only during off-peak hours	-
SMART function *	-

Water heater

Product	MX2209 - 5,5/9 kW
Load profile	XXS
Energy efficiency class	A
Energy efficiency [%]	-
Annual electricity consumption [kWh]	460
Thermostat temperature settings [°C]	-
Sound power level [dB]	22
Function only during off-peak hours	-
SMART function *	-

Water heater

Product	MX2211 - 5,5/11 kW
Load profile	XXS
Energy efficiency class	A
Energy efficiency [%]	-
Annual electricity consumption [kWh]	453
Thermostat temperature settings [°C]	-
Sound power level [dB]	22
Function only during off-peak hours	-
SMART function *	-

45

Water heater

Product	OKC 125
Load profile	Μ
Energy efficiency class	С
Energy efficiency [%]	36.0000
Annual electricity consumption [kWh]	1409
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKC 125 - 4kW
Load profile	Μ
Energy efficiency class	С
Energy efficiency [%]	36.0000
Annual electricity consumption [kWh]	1409
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKC 125 LC
Load profile	Μ
Energy efficiency class	С
Energy efficiency [%]	36.0000
Annual electricity consumption [kWh]	1409
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

45

Water heater

Product	OKC 160
Load profile	L
Energy efficiency class	С
Energy efficiency [%]	39.0000
Annual electricity consumption [kWh]	2622
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKC 160 - 4kW
Load profile	L
Energy efficiency class	С
Energy efficiency [%]	39.0000
Annual electricity consumption [kWh]	2622
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKC 160 - cirkulace
Load profile	L
Energy efficiency class	С
Energy efficiency [%]	39.0000
Annual electricity consumption [kWh]	2622
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKC 160 - cirkulace/4kW
Load profile	L
Energy efficiency class	С
Energy efficiency [%]	-
Annual electricity consumption [kWh]	2622
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKC 200
Load profile	XL
Energy efficiency class	С
Energy efficiency [%]	38.0000
Annual electricity consumption [kWh]	4403
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKC 200 - 4kW
Load profile	XL
Energy efficiency class	С
Energy efficiency [%]	38.0000
Annual electricity consumption [kWh]	4403
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

45

Water heater

Product	OKC 200 - cirkulace
Load profile	XL
Energy efficiency class	С
Energy efficiency [%]	38.0000
Annual electricity consumption [kWh]	4403
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKC 200 - cirkulace/4kW
Load profile	XL
Energy efficiency class	С
Energy efficiency [%]	38.0000
Annual electricity consumption [kWh]	4403
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKC 80
Load profile	Μ
Energy efficiency class	С
Energy efficiency [%]	38.0000
Annual electricity consumption [kWh]	1342
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

45

Water heater

Product	OKC 80 SV / 0,75 m2
Load profile	Μ
Energy efficiency class	С
Energy efficiency [%]	38.0000
Annual electricity consumption [kWh]	1342
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKCE 100
Load profile	Μ
Energy efficiency class	С
Energy efficiency [%]	38.0000
Annual electricity consumption [kWh]	1362
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKCE 100 - 4kW
Load profile	М
Energy efficiency class	С
Energy efficiency [%]	38.0000
Annual electricity consumption [kWh]	1362
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKCE 100 - cirkulace
Load profile	Μ
Energy efficiency class	С
Energy efficiency [%]	38.0000
Annual electricity consumption [kWh]	1362
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKCE 100 S/2,2kW
Load profile	Μ
Energy efficiency class	С
Energy efficiency [%]	38.0000
Annual electricity consumption [kWh]	1349
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKCE 125
Load profile	М
Energy efficiency class	С
Energy efficiency [%]	36.0000
Annual electricity consumption [kWh]	1409
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

45

Water heater

Product	OKCE 125 - 4kW
Load profile	Μ
Energy efficiency class	С
Energy efficiency [%]	36.0000
Annual electricity consumption [kWh]	1409
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKCE 125 - cirkulace
Load profile	Μ
Energy efficiency class	С
Energy efficiency [%]	36.0000
Annual electricity consumption [kWh]	1409
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKCE 125 - cirkulace/4kW
Load profile	М
Energy efficiency class	С
Energy efficiency [%]	36.0000
Annual electricity consumption [kWh]	1409
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

45

Water heater

Product	OKCE 125 2/2kW
Load profile	Μ
Energy efficiency class	С
Energy efficiency [%]	36.0000
Annual electricity consumption [kWh]	1409
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKCE 125 2/6kW
Load profile	Μ
Energy efficiency class	С
Energy efficiency [%]	36.0000
Annual electricity consumption [kWh]	1409
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKCE 125 2/6kW - cirkulace
Load profile	М
Energy efficiency class	C
Energy efficiency [%]	36.0000
Annual electricity consumption [kWh]	1409
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

45

Water heater

Product	OKCE 125 S/2,2kW
Load profile	L
Energy efficiency class	С
Energy efficiency [%]	39.0000
Annual electricity consumption [kWh]	2637
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKCE 160
Load profile	L
Energy efficiency class	С
Energy efficiency [%]	39.0000
Annual electricity consumption [kWh]	2622
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKCE 160 - 4kW
Load profile	L
Energy efficiency class	C
Energy efficiency [%]	39.0000
Annual electricity consumption [kWh]	2622
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKCE 160 - cirkulace
Load profile	L
Energy efficiency class	С
Energy efficiency [%]	39.0000
Annual electricity consumption [kWh]	2622
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKCE 160 - cirkulace/4kW
Load profile	L
Energy efficiency class	С
Energy efficiency [%]	39.0000
Annual electricity consumption [kWh]	2622
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKCE 160 2/2kW
Load profile	L
Energy efficiency class	С
Energy efficiency [%]	39.0000
Annual electricity consumption [kWh]	2622
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

45

Water heater

Product	OKCE 160 2/6kW
Load profile	L
Energy efficiency class	С
Energy efficiency [%]	39.0000
Annual electricity consumption [kWh]	2622
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKCE 160 2/6kW - cirkulace
Load profile	L
Energy efficiency class	С
Energy efficiency [%]	39.0000
Annual electricity consumption [kWh]	2622
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKCE 160 S
Load profile	L
Energy efficiency class	С
Energy efficiency [%]	39.0000
Annual electricity consumption [kWh]	2612
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

45

Water heater

Product	OKCE 160 S/2,2kW
Load profile	L
Energy efficiency class	С
Energy efficiency [%]	39.0000
Annual electricity consumption [kWh]	2612
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKCE 200
Load profile	XL
Energy efficiency class	С
Energy efficiency [%]	38.0000
Annual electricity consumption [kWh]	4403
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKCE 200 - 4kW
Load profile	XL
Energy efficiency class	С
Energy efficiency [%]	38.0000
Annual electricity consumption [kWh]	4403
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

45

Water heater

Product	OKCE 200 - cirkulace
Load profile	XL
Energy efficiency class	С
Energy efficiency [%]	38.0000
Annual electricity consumption [kWh]	4403
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKCE 200 - cirkulace/4kW
Load profile	XL
Energy efficiency class	С
Energy efficiency [%]	38.0000
Annual electricity consumption [kWh]	4403
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKCE 200 2/2kW
Load profile	XL
Energy efficiency class	С
Energy efficiency [%]	38.0000
Annual electricity consumption [kWh]	4403
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

45

Water heater

Product	OKCE 200 2/4kW
Load profile	XL
Energy efficiency class	С
Energy efficiency [%]	38.0000
Annual electricity consumption [kWh]	4403
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKCE 200 2/4kW - cirkulace
Load profile	XL
Energy efficiency class	С
Energy efficiency [%]	38.0000
Annual electricity consumption [kWh]	4403
Thermostat temperature settings [°C]	-
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKCE 200 2/6kW
Load profile	XL
Energy efficiency class	С
Energy efficiency [%]	38.0000
Annual electricity consumption [kWh]	4403
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKCE 200 2/6kW-cirkulace
Load profile	XL
Energy efficiency class	С
Energy efficiency [%]	38.0000
Annual electricity consumption [kWh]	4403
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKCE 200 S
Load profile	XL
Energy efficiency class	С
Energy efficiency [%]	39.0000
Annual electricity consumption [kWh]	4301
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKCE 200 S/2,2kW
Load profile	XL
Energy efficiency class	С
Energy efficiency [%]	39.0000
Annual electricity consumption [kWh]	4301
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

* Where the value of smart is declared as being 'YES', the information on water heating energy efficiency and annual electricity consumption relate to enabled smart control settings only.

45

Water heater

Product	OKCE 200 S/3-6kW
Load profile	XL
Energy efficiency class	С
Energy efficiency [%]	39.0000
Annual electricity consumption [kWh]	4289
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKCE 300 S
Load profile	XL
Energy efficiency class	С
Energy efficiency [%]	38.0000
Annual electricity consumption [kWh]	4361
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKCE 300 S
Load profile	XL
Energy efficiency class	С
Energy efficiency [%]	38.0000
Annual electricity consumption [kWh]	4361
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKCE 300 S/2,2kW
Load profile	XL
Energy efficiency class	С
Energy efficiency [%]	38.0000
Annual electricity consumption [kWh]	4361
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKCE 50
Load profile	Μ
Energy efficiency class	С
Energy efficiency [%]	38.0000
Annual electricity consumption [kWh]	1365
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKCE 80
Load profile	Μ
Energy efficiency class	С
Energy efficiency [%]	38.0000
Annual electricity consumption [kWh]	1342
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

45

Water heater

Product	OKCE 80 - 4kW
Load profile	Μ
Energy efficiency class	С
Energy efficiency [%]	35.0000
Annual electricity consumption [kWh]	1342
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKCE 80-cirkulace
Load profile	Μ
Energy efficiency class	С
Energy efficiency [%]	38.0000
Annual electricity consumption [kWh]	1342
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKCE/E 125
Load profile	М
Energy efficiency class	С
Energy efficiency [%]	36.0000
Annual electricity consumption [kWh]	1409
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

45

Water heater

Product	OKCE/E 160
Load profile	L
Energy efficiency class	С
Energy efficiency [%]	39.0000
Annual electricity consumption [kWh]	2622
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKCE/E 200
Load profile	XL
Energy efficiency class	С
Energy efficiency [%]	38.0000
Annual electricity consumption [kWh]	4403
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKCEV 100
Load profile	Μ
Energy efficiency class	С
Energy efficiency [%]	37.0000
Annual electricity consumption [kWh]	1402
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKCEV 100 - cirkulace
Load profile	Μ
Energy efficiency class	С
Energy efficiency [%]	36.0000
Annual electricity consumption [kWh]	1402
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKCEV 125
Load profile	L
Energy efficiency class	С
Energy efficiency [%]	39.0000
Annual electricity consumption [kWh]	2614
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKCEV 125 - cirkulace
Load profile	L
Energy efficiency class	С
Energy efficiency [%]	39.0000
Annual electricity consumption [kWh]	2614
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

45

Water heater

Product	OKCEV 160
Load profile	L
Energy efficiency class	С
Energy efficiency [%]	38.0000
Annual electricity consumption [kWh]	2691
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKCEV 160 - cirkulace
Load profile	L
Energy efficiency class	С
Energy efficiency [%]	38.0000
Annual electricity consumption [kWh]	2691
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKCEV 200
Load profile	XL
Energy efficiency class	С
Energy efficiency [%]	39.0000
Annual electricity consumption [kWh]	4324
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

45

Water heater

Product	OKCEV 200 - 4kW
Load profile	XL
Energy efficiency class	С
Energy efficiency [%]	39.0000
Annual electricity consumption [kWh]	4324
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	-

Water heater

Product	OKCEV 200 - cirkulace
Load profile	XL
Energy efficiency class	С
Energy efficiency [%]	39.0000
Annual electricity consumption [kWh]	4324
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKCEV 200 - cirkulace/4kW
Load profile	XL
Energy efficiency class	С
Energy efficiency [%]	39.0000
Annual electricity consumption [kWh]	4324
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

45

Water heater

Product	OKCV 125
Load profile	L
Energy efficiency class	С
Energy efficiency [%]	39.0000
Annual electricity consumption [kWh]	2614
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKCV 125 - cirkulace
Load profile	L
Energy efficiency class	С
Energy efficiency [%]	39.0000
Annual electricity consumption [kWh]	2614
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKCV 125 - levé prov/cirkulace
Load profile	L
Energy efficiency class	C
Energy efficiency [%]	39.0000
Annual electricity consumption [kWh]	2614
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKCV 125 - levé provedení
Load profile	L
Energy efficiency class	С
Energy efficiency [%]	39.0000
Annual electricity consumption [kWh]	2614
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKCV 160
Load profile	L
Energy efficiency class	С
Energy efficiency [%]	38.0000
Annual electricity consumption [kWh]	2691
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKCV 160 - cirkulace
Load profile	L
Energy efficiency class	С
Energy efficiency [%]	39.0000
Annual electricity consumption [kWh]	2691
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

* Where the value of smart is declared as being 'YES', the information on water heating energy efficiency and annual electricity consumption relate to enabled smart control settings only.

45

Water heater

Product	OKCV 160 - levé prov/cirkulace
Load profile	L
Energy efficiency class	C
Energy efficiency [%]	38.0000
Annual electricity consumption [kWh]	2691
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKCV 160 - levé provedení
Load profile	L
Energy efficiency class	С
Energy efficiency [%]	38.0000
Annual electricity consumption [kWh]	2691
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKCV 200
Load profile	XL
Energy efficiency class	С
Energy efficiency [%]	39.0000
Annual electricity consumption [kWh]	4324
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

* Where the value of smart is declared as being 'YES', the information on water heating energy efficiency and annual electricity consumption relate to enabled smart control settings only.

45

45

Water heater

Product	OKCV 200 - 4kW
Load profile	XL
Energy efficiency class	С
Energy efficiency [%]	39.0000
Annual electricity consumption [kWh]	4324
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKCV 200 - 4kW/cirkulace
Load profile	XL
Energy efficiency class	С
Energy efficiency [%]	39.0000
Annual electricity consumption [kWh]	4324
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKCV 200 - 4kW/cirkulace/levé
Load profile	XL
Energy efficiency class	С
Energy efficiency [%]	39.0000
Annual electricity consumption [kWh]	4325
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

45

Water heater

Product	OKCV 200 - 4kW/levé
Load profile	XL
Energy efficiency class	С
Energy efficiency [%]	39.0000
Annual electricity consumption [kWh]	4324
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKCV 200 - cirkulace
Load profile	XL
Energy efficiency class	С
Energy efficiency [%]	39.0000
Annual electricity consumption [kWh]	4324
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKCV 200 - cirkulace/levé prov
Load profile	XL
Energy efficiency class	С
Energy efficiency [%]	39.0000
Annual electricity consumption [kWh]	4324
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKCV 200 - levé provedení
Load profile	XL
Energy efficiency class	С
Energy efficiency [%]	39.0000
Annual electricity consumption [kWh]	4324
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKHE 100
Load profile	Μ
Energy efficiency class	С
Energy efficiency [%]	37.0000
Annual electricity consumption [kWh]	1395
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKHE 100 - SMART
Load profile	Μ
Energy efficiency class	В
Energy efficiency [%]	40.0000
Annual electricity consumption [kWh]	1217
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	YES

* Where the value of smart is declared as being 'YES', the information on water heating energy efficiency and annual electricity consumption relate to enabled smart control settings only.

45

45

Water heater

Product	OKHE 125
Load profile	Μ
Energy efficiency class	С
Energy efficiency [%]	38.0000
Annual electricity consumption [kWh]	1353
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKHE 125 - SMART
Load profile	Μ
Energy efficiency class	В
Energy efficiency [%]	40.0000
Annual electricity consumption [kWh]	1255
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	YES

Water heater

Product	OKHE 160
Load profile	L
Energy efficiency class	С
Energy efficiency [%]	38.0000
Annual electricity consumption [kWh]	2715
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKHE 160 - SMART
Load profile	L
Energy efficiency class	С
Energy efficiency [%]	40.0000
Annual electricity consumption [kWh]	2487
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	YES

Water heater

Product	OKHE 80
Load profile	Μ
Energy efficiency class	С
Energy efficiency [%]	37.0000
Annual electricity consumption [kWh]	1391
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKHE ONE/E 100
Load profile	М
Energy efficiency class	С
Energy efficiency [%]	37.0000
Annual electricity consumption [kWh]	1405
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

45

Water heater

Product	OKHE ONE/E 120
Load profile	Μ
Energy efficiency class	С
Energy efficiency [%]	37.0000
Annual electricity consumption [kWh]	1403
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKHE ONE/E 30
Load profile	S
Energy efficiency class	С
Energy efficiency [%]	33.0000
Annual electricity consumption [kWh]	561
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKHE ONE/E 50
Load profile	Μ
Energy efficiency class	С
Energy efficiency [%]	38.0000
Annual electricity consumption [kWh]	1353
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

45

Water heater

Product	OKHE ONE/E 80
Load profile	Μ
Energy efficiency class	С
Energy efficiency [%]	37.0000
Annual electricity consumption [kWh]	1378
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKHE ONE/E 80
Load profile	Μ
Energy efficiency class	С
Energy efficiency [%]	37.0000
Annual electricity consumption [kWh]	1378
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	OKHE ONE/E 80
Load profile	М
Energy efficiency class	С
Energy efficiency [%]	37.0000
Annual electricity consumption [kWh]	1378
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

45

Water heater

Product	PTO 1733 - 5 kW
Load profile	XXS
Energy efficiency class	A
Energy efficiency [%]	-
Annual electricity consumption [kWh]	475
Thermostat temperature settings [°C]	-
Sound power level [dB]	46
Function only during off-peak hours	-
SMART function *	-

Water heater

Product	PTO 2733 - 6,5 kW
Load profile	XS
Energy efficiency class	A
Energy efficiency [%]	-
Annual electricity consumption [kWh]	465
Thermostat temperature settings [°C]	-
Sound power level [dB]	47
Function only during off-peak hours	-
SMART function *	-

Water heater

Product	PTO 3,5
Load profile	XXS
Energy efficiency class	A
Energy efficiency [%]	-
Annual electricity consumption [kWh]	478
Thermostat temperature settings [°C]	-
Sound power level [dB]	46
Function only during off-peak hours	-
SMART function *	-

45

Water heater

Product	PTO 3733 - 8 kW
Load profile	XS
Energy efficiency class	A
Energy efficiency [%]	-
Annual electricity consumption [kWh]	464
Thermostat temperature settings [°C]	-
Sound power level [dB]	47
Function only during off-peak hours	-
SMART function *	-

Water heater

Product	PTO 5
Load profile	XXS
Energy efficiency class	A
Energy efficiency [%]	-
Annual electricity consumption [kWh]	475
Thermostat temperature settings [°C]	-
Sound power level [dB]	46
Function only during off-peak hours	-
SMART function *	-

Water heater

Product	PTO 6,5
Load profile	XS
Energy efficiency class	A
Energy efficiency [%]	-
Annual electricity consumption [kWh]	465
Thermostat temperature settings [°C]	-
Sound power level [dB]	47
Function only during off-peak hours	-
SMART function *	-

45

Water heater

Product	PTO 8
Load profile	XS
Energy efficiency class	A
Energy efficiency [%]	-
Annual electricity consumption [kWh]	464
Thermostat temperature settings [°C]	-
Sound power level [dB]	47
Function only during off-peak hours	-
SMART function *	-

Water heater

Product	SLUNE NICE 200/S3
Load profile	XL
Energy efficiency class	С
Energy efficiency [%]	39.0000
Annual electricity consumption [kWh]	4301
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	YES
SMART function *	NO

Water heater

Product	TO 10 IN
Load profile	XXS
Energy efficiency class	A
Energy efficiency [%]	35.0000
Annual electricity consumption [kWh]	524
Thermostat temperature settings [°C]	35.0000
Sound power level [dB]	15
Function only during off-peak hours	NO
SMART function *	NO

45

Water heater

Product	TO 10 UP
Load profile	XXS
Energy efficiency class	A
Energy efficiency [%]	36.0000
Annual electricity consumption [kWh]	508
Thermostat temperature settings [°C]	35.0000
Sound power level [dB]	15
Function only during off-peak hours	NO
SMART function *	NO

Water heater

Product	TO 10.1 IN
Load profile	XXS
Energy efficiency class	A
Energy efficiency [%]	35.0000
Annual electricity consumption [kWh]	525
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	NO
SMART function *	NO

Water heater

Product	TO 10.1 UP
Load profile	XXS
Energy efficiency class	A
Energy efficiency [%]	35.0000
Annual electricity consumption [kWh]	525
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	NO
SMART function *	NO

45

Water heater

Product	TO 15 IN
Load profile	XXS
Energy efficiency class	А
Energy efficiency [%]	35.0000
Annual electricity consumption [kWh]	523
Thermostat temperature settings [°C]	35.0000
Sound power level [dB]	15
Function only during off-peak hours	NO
SMART function *	NO

Water heater

Product	TO 15 UP
Load profile	XXS
Energy efficiency class	A
Energy efficiency [%]	36.0000
Annual electricity consumption [kWh]	510
Thermostat temperature settings [°C]	35.0000
Sound power level [dB]	15
Function only during off-peak hours	NO
SMART function *	NO

Water heater

Product	TO 20.1
Load profile	S
Energy efficiency class	A
Energy efficiency [%]	38.0000
Annual electricity consumption [kWh]	485
Thermostat temperature settings [°C]	-
Sound power level [dB]	15
Function only during off-peak hours	NO
SMART function *	-

45

Water heater

Product	TO 5 IN
Load profile	XXS
Energy efficiency class	A
Energy efficiency [%]	35.0000
Annual electricity consumption [kWh]	525
Thermostat temperature settings [°C]	41.0000
Sound power level [dB]	15
Function only during off-peak hours	NO
SMART function *	NO

Water heater

Product	TO 5 UP
Load profile	XXS
Energy efficiency class	A
Energy efficiency [%]	36.0000
Annual electricity consumption [kWh]	514
Thermostat temperature settings [°C]	41.0000
Sound power level [dB]	15
Function only during off-peak hours	NO
SMART function *	NO

Water heater

Product	TO 5.1 IN	
Load profile	XXS	
Energy efficiency class	А	
Energy efficiency [%]	36.0000	
Annual electricity consumption [kWh]	509	
Thermostat temperature settings [°C]	55.0000	
Sound power level [dB]	15	
Function only during off-peak hours	NO	
SMART function *	NO	

45

Water heater

Product	TO 5.1 UP
Load profile	XXS
Energy efficiency class	A
Energy efficiency [%]	37.0000
Annual electricity consumption [kWh]	497
Thermostat temperature settings [°C]	55.0000
Sound power level [dB]	15
Function only during off-peak hours	NO
SMART function *	NO